



Privacy





CHARACTERISTICS



Alternative colour options, please contact us

Structure

Structurex® melamine-coated panels with rounded corners 25 mm thick for the lower part and 16 mm thick for the upper part.

Acoustic screens


Acoustic screens made of 10 mm thick MDF structure covered by a 20 mm sound-absorbing melamine foam and 100% Trevira CS fabric, M1 fire resistant, certified Oeko-Tex®

Standing workstation pod

Sitting workstation pod with desk

Sitting workstation pod with bench left mounted top

Duo sitting workstation pod with benches




Workstation pods

Structure

- Structurex® – Melamine-coated particle board with rounded corners, 25 mm thick for the lower part and 16 mm thick for the upper part, high density 650 kg/m³ (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 2 mm thick shock-proof ABS straight edging, radiused and matching the top finishes.
- Dimensions : L 100 x D 100 x H 162 / 196 cm.
- 4 models :
 - Standing pod : D 100 x L 100 x H 196 cm. Top height 108 cm.
 - Sitting pod with desk : D 100 x L 100 x H 162 cm. Top height 74 cm.
 - Sitting pod with bench : D 100 x L 100 x H 162 cm. Top height 74 cm.
 - Duo sitting pod with bench : D 100 x L 192 x H 162 cm. Top height 74 cm.
- Adjustable screw feet of diameter 25 mm and range of 10 mm to compensate for any unevenness in the floor.

Top


- A shaped 25 mm thick Structurex® Melamine-coated board in same finish of the lower part of the workstation pod.
- 2 mm thick shock-proof ABS straight edging, radiused and matching the top finishes.
- Top fitted with a Ø 80 mm cable port, white finish. Cable port power module available on option.
- Dim : D 33 / 51 x L 92 cm (single top) and D 70 / 102 x L 92 cm (Duo top).
- Fixing by brackets on the upper part of the pod.
- Single top mounted on the right or left in the workstation pod.



- 100 % PEFC tops from sustainably managed forests.
- E1 certification in compliance with standard NF EN-717-2.
- M2 fire classification.

Acoustic panels and backrest

- Acoustic panels L 60 x H 60 cm and acoustic backrest L 60 x H 100 cm made of 10 mm thick MDF panel covered with 20 mm thick sound-absorbing melamine foam, and 100% Trevira CS M1 fire-resistant fabric, Oeko-Tex® certified.
- Panels fixed to the upper part of the pod by 2 male/female metal hooks and Velcro patch.



Bench

- Structurex® - Melamine-coated particle board, 16 mm thick, high density 650 kg/m³ (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- Foam cushion 10 cm thick, density 40 kg/m², covered by 100% Trevira CS fabric, M1 fire resistant, Oeko-Tex® certified.
- Dimensions : D 44 x L 97,5 x H 45,5 cm. Useful dimensions : D 41 x L 96 cm.

