

EHTOS

POSTURE & COMFORT

www.planscape.co.uk



ETHOS: POSTURE & COMFORT

Ethos is a very high specification chair, designed to provide superb comfort. Standard features include inflatable lumbar, independent seat and back mechanism, and integral seat slide.

ETHOS

MATERIALS

INDEPENDENT MECHANISM

Independent seat and back adjustment with side operated body weight tension control, lockable in various positions and can also be free floated to encourage user movement

SEAT SLIDE

Seat depth adjustment (50 mm range)

BASE & CASTORS

Five star glass filled nylon base (680 mm diameter)

5 cm twin wheel hooded polyamide castors

Load capacity 50 kgs per castors (total 250 kgs)

GAS LIFT

Black outer support cylinder with 120 mm of adjustment suitable for users up to 150 kgs

SEAT

Upholstered double curvature seat pad

Combustion Modified High Resilience (CMHR) Cold cure moulded foam with wooden inner under seat

BACK

Height adjustable with 70 mm adjustment

Fully upholstered ergonomically shaped back with Combustion Modified High Resilience (CMHR) foam and 12 mm pre-formed laminated birch inner
Manually operated inflatable lumbar support

ARMS

3D adjustable arms (height & width)

Polyurethane arm pads

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

Forest Stewardship Council® (FSC®)


OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.


Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

ETHOS




P/ET20 | Medium Back.

Seat Width	480 mm
Seat Height	460-540 mm
Seat Depth	440-490 mm
Back Height	570-640 mm
Arm Height	440-480 mm
Weight	20.8 kg




P/ET40 | Medium Back with Headrest.

Seat Width	480 mm
Seat Height	460-540 mm
Seat Depth	440-490 mm
Back Height	570-640 mm
Arm Height	440-480 mm
Weight	22.3 kg



P/ET60 | High Back.

Seat Width	480 mm
Seat Height	460-540 mm
Seat Depth	440-490 mm
Back Height	700-770 mm
Arm Height	440-480 mm
Weight	23.1 kg



P/ET80 | High Back with Headrest.

Seat Width	480 mm
Seat Height	460-540 mm
Seat Depth	440-490 mm
Back Height	570-640 mm
Arm Height	440-480 mm
Weight	22.3 kg

ETHOS

BASE FINISH



Silver RAL 9006 (P)



Chrome (C)

OPTIONS

SEAT

Memory seat foam (ME)

Coccyx cut out (CO)

MECHANISM

Synchronised 2:1 ratio with body weight tension control

CASTORS & GLIDES

Glides

Soft wheel castors

Brake loaded or un-loaded castors

NOTES

Headrest adds an additional 180-250 mm to the height of the back and has a depth adjustment of 100 mm

ENVIRONMENTAL

Recycled Content: 30% (estimated)

Recyclable Content: 95%

Plastic components >25 g are labelled in accordance with ISO 11469