# www.planscape.co.uk



### SCREEN COLLECTION



Models Shown: HVECS60/18 (QTY 4) & HVESS/18 (QTY 1)

HIVE





HIVE



HIVE

Model Shown: HVECS60/13 (QTY 4)





HIVE

## Specifications.



### Hive Straight Floor Standing Screen.

6 x Vertical panels along a straight base.Panels can be rotated by turning any indiviual panel.

HVESS/18 HVESS/13 1100mm wide x 350mm deep x 1800mm high. 1100mm wide x 350mm deep x 1300mm high.







### Hive 60 Degree Floor Standing Screen.

6 x Vertical panels along a 60 degree curved base. Panels can be rotated by turning any indiviual panel.

HVECS60/18 HVECS60/13 1040mm wide x 770mm deep x 1800mm high. 1040mm wide x 770mm deep x 1300mm high.



770



### Hive 90 Degree Floor Standing Screen.

6 x Vertical panels along a 90 degree curved base.
Panels can be rotated by turning any indiviual panel.

HVECS90/18 HVECS90/13 864mm wide x 864mm deep x 1800mm high. 864mm wide x 864mm deep x 1300mm high.



## MFC and Nanotech Finishes.

### Dual Board MFC Finishes.

The 9 finishes below are our standard MFC finishes.



### Nanotech Finishes.



Contact Customer Services for specification and lead time.

Nanotech.

Black Matt MDF

### Metalwork Finishes.

### Standard Metal Finishes.

The 3 finishes below are our standard metal finishes.







Silver Trim



Black Graphite Trim



White Trim



Ash



Autumn Cherry





English Walnut







Laurentii Wenge

Natural Nebraska Oak



Matt Black Nanotech

Whilst every effort has been made to ensure accurate colours are illustrated in this PDF document, there may be a slight colour difference due to monitors and mobile devices, therefore please refer to our colour sample swatches prior to ordering.

11





Chester Oak



Grey Nebraska Oak



White











### Fabric Swatches and Choices.

We have a full collection of fabric swatches available to view within our showroom facilities at both our head office manufacturing site and our London showroom and office, alongside our furniture products.

Each Hive panel is hand crafted by our highly skilled upholstery team.

The look and feel of the Hive screens can be transformed into a unique piece of furniture by applying different materials, tones and textures. We align ourselves with the leading fabric manufacturers with more

We align ourselves with the leading fabric manufacturers with more than 150 core ranges including Camira, Panaz, Kvadrat and Svensson, incorporating their most responsible ranges with Oeko-Tex® Standard 100, Indoor Advantage<sup>™</sup> Gold, EU Ecolabel and Cradle to Cradle<sup>™</sup> certifications.



We adhere to our Circular Economy business model that aims to deliver 100% recyclability.

The use of recycled plastic in place of virgin resin typically results in reduced energy consumption, lower cost, and reduced environmental impact.

Our Hive screen products permits all plastic components to be recycled through curbside programs. The following illustrates what type of plastic is used and its recyclable properties.

WHAT WE USE	RESIN TYPE	RESIN ID CODE
Hive Construction:		
Clear Protective Floor Protector. Pivot Spacer.	Acrylonitrile Butadiene Styrene. Acrylonitrile Butadiene Styrene.	(ABS) 9 (ABS) 9
Packaging Materials:		
Packaging Cling Film.	Low Density Polythene.	(LDPE) 4



#### Low Density Polythene (LDPE)

LDPE is not often recycled through curbside programs, but some communities will accept it.

#### Acrylonitrile-Butadiene-Styrene (ABS)

ABS is recycled by first shredding used plastics to produce shredded plastics. After this step, metals and undesirable plastics are separated from the shredded plastics to produce separated plastics.



#### **RESIN IDENTIFICATION CODE**

The ASTM International Resin Identification Coding System, often abbreviated as the RIC, is a set of symbols appearing on plastic products that identify the plastic resin out of which the product is made.

The Society of the Plastics Industry introduced the Resin Identification Code (RIC) system in 1988 as a growing number of communities were implementing recycling programs.

In order to address the concerns of recyclers the RIC system was designed to make it easier for workers in materials recovery and recycling facilities to sort and separate items according to their resin type.

Plastics must be recycled separately, with like materials, in order to preserve the material's value and enable its reuse in other products after being recycled.

### WE DO NOT USE ANY PRODUCT CONTAINING MICROBEADS IN OUR COMPANY, WHETHER FOR CLEANING OR MANUFACTURING PURPOSES. Microbeads are tiny pieces of plastic that are added to everyday products. They are most frequently made of polyethylene but can be of other petrochemical plastics such as polypropylene and polystyrene. Microbeads are tiny, and may seem harmless, but 100,000 microbeads are washed down the sink with a single application of some products,

ending up in the sea and the food chain.

### Accreditations and Achievements.

### **Company Accreditations.**

BS EN ISO 9001:2015 Quality Management Systems.

BS EN ISO 14001:2015 Environmental Management Systems.

BS OHSAS 45001:2018 Occupational Health & Safety Management.

BS EN ISO 50001:2011 Energy Management Systems.

FISP Furniture Industry Sustainability Programme. As part of our Environmental Policy.

FSC<sup>®</sup> Forest Stewardship Council<sup>®</sup>. Chain of Custody Certification.

FIRA Furniture Industry Research Association. Affiliated Member.

CIUK Commercial Interiors UK (formerly the BCFA). Affiliated Member.

Valpak The Producer Responsibility Obligations Regulations. (Packaging Waste).

FORS (Bronze Award) The Fleet Operator Recognition Scheme.

RHA Road Haulage Association. Affiliated Member.

### **Furniture Accreditations.**

BS EN 527-1:2011 Office furniture desking dimensions.

BS EN 527-2:2002 Office furniture desking mechanical safety requirements.

BS EN 527-3:2003 Office furniture desking strength & stability.

BS EN ISO 9241-5:1999 Ergonomics of VDU/TFT screen usage within offices.

BS 4875-7:2006 Strength & stability of shelving. Test level 4 (shelves only).

BS 6396:2008 Office furniture desking electrical systems.

BS EN 13722:2004 Gloss/reflective level testing on furniture surfaces.

BS EN 14073-2:2004 Strength & rigidity testing of storage furniture part 2.

BS EN 14073-3:2004 Strength & rigidity testing of storage furniture part 3.

BS EN 14074:2004 Endurance & stability testing of storage furniture.

BS EN 14322:2017 Definition, requirements & classification of wood based panels. (Elite Dual Board).

BS EN 15372:2008 level 2 Standard and folding tables structurally suitable and stable for general contract use.

UNE-EN 14323:2004 Dual Board resistance to scratching, cracking and staining.







#### **Dividing Screen Accreditations.**

BS 476-7:1987 Flammability test for Screens (Class 2).

BS EN 1023-1:1997 Office furniture screens, dimensions.

BS EN 1023-2:2000 Office furniture screens, mechanical safety requirements.

BS EN 1023-3:2000 Office furniture screens, test methods.

BS EN 9241-5 Gloss Level - surface reflectance (Screens).

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1.

BS EN 13823:2010+A1:2014 Reaction to fire tests for building products. Building products excluding floorings exposed to the thermal attack by a single burning item.

BS EN ISO 11925-2:2010 Reaction to fire tests. Ignitability of products subjected to direct impingement of flame. Single-flame source test.

BS EN ISO 1182:2002 Reaction to fire tests for building products. Non-combustibility test.

BS EN ISO 1716:2018 Reaction to fire tests for products. Determination of the gross heat of combustion (calorific value).

BS EN 12667:2001 Thermal performance of building materials and products. Determination of thermal resistance by means of guarded hot plate and heat flow meter methods. Products of high and medium thermal resistance.

### **Seating Accreditations.**

BS EN 1022:2015 & 2020 Seating, determination of stability.

BS EN 1335-1 + BS EN 1335-2 + BS EN 1335-3 Office work chairs safety test methods.

EN 1728:2012 + AC:2013 Seat & Back Static Load Test & Durability. Front & Back Fatigue Test & Impact Test.

BS EN 5852 Part 2: 1982 Ignition source 5 (Crib 5) Fire Retardancy. CentiPUR certified foam.

BS EN 5459-2: 2000+A2:2008 Office seating for use by person weighing up to 150kg and for use upto 24 hours a day.

BS EN 13761:2002 Visitor Chairs - Dimensions & Safety Requirements.

BS EN 15373:2007 level 2 Seating strength, durability and safety. Requirements for non-domestic seating.

BS EN 16139:2015 4 legged & cantilever seating, strength, durability and safety requirements.

EN 1728/2000 & 2015 Domestic furniture. Seating. Test methods for the determination of strength and durability.

BS EN 10025:1993

Specification for hot rolled products of non-alloy structural steels and their technical delivery conditions. Applicable to all chrome plated parts.

ANSI/BIFMA X5.1-2002 International testing certificate for office chairs. Sections:08,11,13,14,16 and 18.

ANSI/BIFMA X5.1-2011 International testing certificate for office chairs. Sections:05,11.3,13,14 and 15.

TUV Eco-Circle 2008 Tested for recyclable content, harmful substances, energy saving & ergonomic design.

NEOCON Silver Award Winner 2013 Chicago, USA.