



The Kassini range offers a myriad of options that fully utilise the unique wire management solution. Leg risers within the leg upright can be removed to enable cables to be routed vertically within the leg channel and directed into the modesty panel or wire management beam to discreetly house cables and wires. Power and data modules can easily be mounted at any position along the cable beams offering maximum flexibility for complex cable installations. The height adjustable workstations offer adjustment from 650mm to 850mm via a manual rotating handle that can be discreetly retracted within the frame, when not in use. The unique design of Kassini and the minimal number of components required, ensures a swift and efficient assembly process, reducing installation costs. Due to the nature of aluminium, Kassini offers an environmentally friendly solution as the lightweight frame can be recycled at the end of its life cycle.

# Kassini

## Height Adjustable Workstations

<b>MFC:</b>	Available in Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak and White
<b>Veneer:</b>	Available in Oak and Walnut (3 Week Lead Time)
<b>Edging:</b>	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC only
<b>Metalwork:</b>	Add 0% for Silver, Black Graphite and White - Add 15% for Chrome Effect



<b>Kassini Height Adjustable Rectangular Desk</b>	
<ul style="list-style-type: none"><li>• Standard lead times.</li><li>• 25mm top panel.</li><li>• Horizontal wire management as standard.</li><li>• Sit / sit height adjustment of 650mm-850mm via crank handle.</li><li>• Vertical wire management not available.</li></ul>	
<b>KR18/HA</b>	- 1800w x 800d x 650-850h
<b>KR16/HA</b>	- 1600w x 800d x 650-850h
<b>KR14/HA</b>	- 1400w x 800d x 650-850h
<b>KR12/HA</b>	- 1200w x 800d x 650-850h
<b>KR10/HA</b>	- 1000w x 800d x 650-850h
<b>KR8/HA</b>	- 800w x 800d x 650-850h
<hr/>	
<b>KR18/6/HA</b>	- 1800w x 600d x 650-850h
<b>KR16/6/HA</b>	- 1600w x 600d x 650-850h
<b>KR14/6/HA</b>	- 1400w x 600d x 650-850h
<b>KR12/6/HA</b>	- 1200w x 600d x 650-850h
<b>KR10/6/HA</b>	- 1000w x 600d x 650-850h
<b>KR8/6/HA</b>	- 800w x 600d x 650-850h



<b>Kassini Height Adjustable Bow Fronted Rectangular Desk</b>	
<ul style="list-style-type: none"><li>• Standard lead times.</li><li>• 25mm top panel.</li><li>• Horizontal wire management as standard.</li><li>• Sit / sit height adjustment of 650mm-850mm via crank handle.</li><li>• Vertical wire management not available.</li></ul>	
<b>KRB18/HA</b>	- 1800w x 900d x 650-850h
<b>KRB16/HA</b>	- 1600w x 900d x 650-850h



<b>Kassini Height Adjustable 'D' Ended Desk</b>	
<ul style="list-style-type: none"><li>• Standard lead times.</li><li>• 25mm top panel.</li><li>• Horizontal wire management as standard.</li><li>• Sit / sit height adjustment of 650mm-850mm via crank handle.</li><li>• Vertical wire management not available.</li></ul>	
<b>KR22D... (LH/HA or RH/HA)</b>	- 2200w x 800d x 650-850h
<b>KR20D... (LH/HA or RH/HA)</b>	- 2000w x 800d x 650-850h



<b>Kassini Height Adjustable Crescent Workstation</b>	
<ul style="list-style-type: none"><li>• Standard lead times.</li><li>• 25mm top panel.</li><li>• Horizontal wire management as standard.</li><li>• Sit / sit height adjustment of 650mm-850mm via crank handle.</li><li>• Vertical wire management not available.</li><li>• 600mm return.</li></ul>	
<b>KC18... (LH/HA or RH/HA)</b>	- 1800w x 1200d x 650-850h
<b>KC16... (LH/HA or RH/HA)</b>	- 1600w x 1200d x 650-850h
<b>KC14... (LH/HA or RH/HA)</b>	- 1400w x 1200d x 650-850h



<b>Kassini Height Adjustable Bow Fronted Crescent Workstation</b>	
<ul style="list-style-type: none"><li>• Standard lead times.</li><li>• 25mm top panel.</li><li>• Horizontal wire management as standard.</li><li>• Sit / sit height adjustment of 650mm-850mm via crank handle.</li><li>• Vertical wire management not available.</li><li>• 600mm return.</li></ul>	
<b>KCB18... (LH/HA or RH/HA)</b>	- 1800w x 1300d x 650-850h

# Kassini

## Height Adjustable and Fixed Height Workstations

MFC:	Available in Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak and White
Veneer:	Available in Oak and Walnut (3 Week Lead Time)
Edging:	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC only
Metalwork:	Add 0% for Silver, Black Graphite and White - Add 15% for Chrome Effect



<b>Kassini Height Adjustable Single Wave Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal wire management as standard.	
• Sit / sit height adjustment of 650mm-850mm via crank handle.	
• Vertical wire management not available.	
<b>KW18... (LH/HA or RH/HA)</b>	- 1800w x 1000-800d x 650-850h
<b>KW16... (LH/HA or RH/HA)</b>	- 1600w x 1000-800d x 650-850h
<b>KW14... (LH/HA or RH/HA)</b>	- 1400w x 1000-800d x 650-850h
<b>KW12... (LH/HA or RH/HA)</b>	- 1200w x 1000-800d x 650-850h
<b>KW18/6... (LH/HA or RH/HA)</b>	- 1800w x 800-600d x 650-850h
<b>KW16/6... (LH/HA or RH/HA)</b>	- 1600w x 800-600d x 650-850h
<b>KW14/6... (LH/HA or RH/HA)</b>	- 1400w x 800-600d x 650-850h
<b>KW12/6... (LH/HA or RH/HA)</b>	- 1200w x 800-600d x 650-850h



<b>Kassini Height Adjustable 120 Degree Workstation</b>	
• Standard lead times. • 25mm top panel. • Horizontal wire management as standard.	
• Sit / sit height adjustment of 650mm-850mm via crank handle.	
• Can be configured as a singular workstation or in modules of 3, 6, 9 etc.	
• Vertical wire management not available.	
<b>K120/HA</b>	- 2078w (extreme) x 650-850h (1200w back edge x 800d return)
<b>K120/6/HA</b>	- 1732w (extreme) x 650-850h (1000w back edge x 600d return)



<b>Kassini Fixed Height Rectangular Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal wire management as standard.	
<b>KR18</b>	- 1800w x 800d x 740h
<b>KR16</b>	- 1600w x 800d x 740h
<b>KR14</b>	- 1400w x 800d x 740h
<b>KR12</b>	- 1200w x 800d x 740h
<b>KR10</b>	- 1000w x 800d x 740h
<b>KR8</b>	- 800w x 800d x 740h
<b>KR18/6</b>	- 1800w x 600d x 740h
<b>KR16/6</b>	- 1600w x 600d x 740h
<b>KR14/6</b>	- 1400w x 600d x 740h
<b>KR12/6</b>	- 1200w x 600d x 740h
<b>KR10/6</b>	- 1000w x 600d x 740h
<b>KR8/6</b>	- 800w x 600d x 740h



<b>Kassini Fixed Height Bow Fronted Rectangular Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal and vertical wire management as standard.	
<b>KRB18</b>	- 1800w x 900d x 740h
<b>KRB16</b>	- 1600w x 900d x 740h



<b>Kassini Fixed Height 'D' Ended Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal and vertical wire management as standard.	
<b>KR22D... (LH or RH)</b>	- 2200w x 800d x 740h
<b>KR20D... (LH or RH)</b>	- 2000w x 800d x 740h

# Kassini

## Fixed Height Workstations

<b>MFC:</b>	Available in Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak and White
<b>Veneer:</b>	Available in Oak and Walnut ( <i>3 Week Lead Time</i> )
<b>Edging:</b>	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - <i>Edging on 25mm White MFC only</i>
<b>Metalwork:</b>	Add 0% for Silver, Black Graphite and White - Add 15% for Chrome Effect



KRE19RH

**Kassini Fixed Height Radius Executive Desk**

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.

**KRE19... (LH or RH)** - 1900w x 1000d x 740h \_\_\_\_\_



KC16RH

**Kassini Fixed Height Crescent Workstation**

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- 600mm return.

**KC18... (LH or RH)** - 1800w x 1200d x 740h \_\_\_\_\_  
**KC16... (LH or RH)** - 1600w x 1200d x 740h \_\_\_\_\_  
**KC14... (LH or RH)** - 1400w x 1200d x 740h \_\_\_\_\_



KCB18RH

**Kassini Fixed Height Bow Fronted Crescent Workstation**

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- 600mm return.

**KCB18... (LH or RH)** - 1800w x 1300d x 740h \_\_\_\_\_




KRC19RH

**Kassini Fixed Height Radius Crescent Workstation**

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- 600mm return.

**KRC19... (LH or RH)** - 1900w x 1200d x 740h \_\_\_\_\_



KSC16A

**Kassini Fixed Height Symmetrical Crescent Workstation**

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- 2x 800mm ends.
- The grain direction is shown as 'A' and 'B'.

**KSC18A** - 1800w x 1800d x 740h \_\_\_\_\_  
**KSC18B** - 1800w x 1800d x 740h \_\_\_\_\_  
**KSC16A** - 1600w x 1600d x 740h \_\_\_\_\_  
**KSC16B** - 1600w x 1600d x 740h \_\_\_\_\_

# Kassini

## Fixed Height Workstations

<b>MFC:</b>	Available in Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak and White
<b>Veneer:</b>	Available in Oak and Walnut ( <i>3 Week Lead Time</i> )
<b>Edging:</b>	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - <i>Edging on 25mm White MFC only</i>
<b>Metalwork:</b>	Add 0% for Silver, Black Graphite and White - Add 15% for Chrome Effect



KW16RH

<b>Kassini Fixed Height Single Wave Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal and vertical wire management as standard.	
<b>KW18... (LH or RH)</b>	- 1800w x 1000-800d x 740h
<b>KW16... (LH or RH)</b>	- 1600w x 1000-800d x 740h
<b>KW14... (LH or RH)</b>	- 1400w x 1000-800d x 740h
<b>KW12... (LH or RH)</b>	- 1200w x 1000-800d x 740h
<b>KW18/6... (LH or RH)</b>	- 1800w x 800-600d x 740h
<b>KW16/6... (LH or RH)</b>	- 1600w x 800-600d x 740h
<b>KW14/6... (LH or RH)</b>	- 1400w x 800-600d x 740h
<b>KW12/6... (LH or RH)</b>	- 1200w x 800-600d x 740h



KDW16/9

<b>Kassini Fixed Height Double Wave Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal and vertical wire management as standard.	
<b>KDW18/9</b>	- 800d Centre - 1800w x 900d x 740h
<b>KDW16/9</b>	- 800d Centre - 1600w x 900d x 740h



K120

<b>Kassini Fixed Height 120 Degree Workstation</b>	
• Standard lead times. • 25mm top panel.	
• Can be configured as a singular workstation or in modules of 3, 6, 9 etc.	
• Horizontal and vertical wire management as standard.	
<b>K120</b>	- 2078w (extreme) x 740h (1200w back edge x 800d return)
<b>K120/6</b>	- 1732w (extreme) x 740h (1000w back edge x 600d return)



KK20

<b>Kassini Fixed Height Kidney Desk</b>	
• Standard lead times. • 25mm top panel. • Horizontal and vertical wire management as standard.	
<b>KK20</b>	- 2000w (extreme) x 800d x 740h



# Kassini

## Fixed Height Workstations, Linking Workstations, Returns and Extensions

<b>MFC:</b>	Available in Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak and White
<b>Veneer:</b>	Available in Oak and Walnut ( <i>3 Week Lead Time</i> )
<b>Edging:</b>	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - <i>Edging on 25mm White MFC only</i>
<b>Metalwork:</b>	Add 0% for Silver, Black Graphite and White - Add 15% for Chrome Effect



KRR18

### Kassini Fixed Height Radius Reception Desk

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.

**KRR20** - 2000w (extreme) x 800d x 740h

**KRR18** - 1800w (extreme) x 800d x 740h



KRDRH

### Kassini Fixed Height Reception Desk

- Standard lead times.
- 2x 25mm top panels.
- 850mm and 600mm ends are slightly curved.
- Horizontal and vertical wire management as standard.

**KRD... (LH or RH)** - 1850w (extreme) x 1800d x 740h



KLW8/6

### Kassini Fixed Height Linking Workstation

- Standard lead times.
- 25mm top panel.
- Links 800mm and 600mm deep desks.
- Horizontal and vertical wire management as standard.

**KLW8/6** - Links 800d Ends - 1225w x 1225d x 740h

**KLW8/4** - Links 800d Ends - 1083w x 1083d x 740h

**KLW6** - Links 600d Ends - 1025w x 1025d x 740h



KSR10/6RH

### Kassini Fixed Height Secretarial Return for Rectangular Desks

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- Compatible with rectangular, bow fronted rectangular and 'D' ended desks only.

**KSR10/6... (LH or RH)** - 1000w x 600d x 740h



KSR10/6CRH

### Kassini Fixed Height Secretarial Return for Crescent Workstations

- Standard lead times.
- 25mm top panel.
- Horizontal and vertical wire management as standard.
- Compatible with crescent, bow fronted crescent and radius crescent workstations only.

**KSR10/6C... (LH or RH)** - 1000w x 600d x 740h



KSCMT16

### Kassini Meeting Extension

- Standard lead times.
- 25mm top panel.
- Complete with 120mm diameter support leg on 300mm diameter base.

**KSCMT16** - For 1600d Ends - 1600w x 660d x 740h

**KSCMT12** - For 1200d Ends - 1200w x 600d x 740h

**KSCMT8** - For 800d Ends - 800w x 600d x 740h

**KSCMT120** - For K120 - 1600w x 660d x 740h

**KDWSCMT18** - For Double Wave Desks - 1800w x 800d x 740h