

KIND

TASK, MESH & EXECUTIVE

www.planscape.co.uk



KIND: POSTURE & COMFORT

Ethos is a very high specification chair, designed to provide superb comfort. Standard features include inflatable lumbar, independent seat and back mechanism, and integral seat slide.

KIND MESH

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Seat and back move at a ratio of 2:3:1

Back angle adjustment 25° with infinite locking

Seat angle adjustment 12.5° with infinite locking

Body weight tension control

SEAT SLIDE

Seat depth adjustment (50 mm range)

SEAT

Upholstered seat pad

Combustion Modified High Resilience (CMHR) foam

Black polypropylene under seat

BACK

Upholstered back and outer back

Combustion Modified High Resilience (CMHR) foam

ARMS

Fixed aluminium arms

BACK

Height adjustable with 7 cm adjustment

Fully upholstered ergonomically shaped back with Combustion Modified High Resilience (CMHR) foam and 12 mm pre-formed laminated birch inner

Manually operated inflatable lumbar support

ARMS

3D adjustable arms (height & width)

Polyurethane arm pads

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

Forest Stewardship Council® (FSC®)

OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.


Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND MESH




KDT01B | Black Frame Mesh Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg




KDT02B | Black Mesh Back Fixed Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17 kg




KDT03B | Black Mesh Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17.5 kg




KDT01W/SS/B | White Mesh Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg



KDT03W/SS/B | White Mesh Adj. Arms.


Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17 kg



KDT01W/SS | White Frame Mesh Back.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17.5 kg

KIND MESH



KDT03W/SS | White Mesh Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg

KIND TASK

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Body weight responsive mechanism

Seat angle 6° adjustment lockable in 5 positions

Back angle 20° adjustment lockable in 5 positions

SEAT & BACK

Upholstered seat and back

Combustion Modified High Resilience (CMHR) foam

Black Polypropylene Outer

ARMS

Height and depth adjustable arms

Polyurethane pads

BASE & CASTORS

670 mm five star glass filled nylon base

60 mm twin wheel polyamide castors

Load capacity 50 kgs per castor (total 250 kgs)

GAS LIFT

Black outer support cylinder with 120 mm of adjustment

Suitable for users up to 150 kgs

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

Forest Stewardship Council® (FSC®)


OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.


Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND TASK




KDT11B | Uph. Medium Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	14.5 kg




KDT13B | Uph. Medium Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	17 kg



KDT21B | Uph. High Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	15 kg



KDT23B | Uph. High Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	17.5 kg

KIND EXECUTIVE

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Seat and back move at a ratio of 2:3:1

Back angle adjustment 25° with infinite locking

Seat angle adjustment 12.5° with infinite locking

Body weight tension control

SEAT SLIDE

Seat depth adjustment (60 mm range)

SEAT

Upholstered seat pad

Combustion Modified High Resilience (CMHR) foam

Black polypropylene under seat

BACK

Upholstered back and outer back

Combustion Modified High Resilience (CMHR) foam

ARMS

Fixed aluminium arms

3D adjustable arms with aluminium supports

BASE & CASTORS

670 mm diameter five star polished aluminium base

65 mm hard castors

Load capacity 50 kgs per castor (total 250 kgs)

GAS LIFT

Black outer support cylinder with 120 mm of adjustment
suitable for users up to 150 kgs

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

Forest Stewardship Council® (FSC®)




OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND EXECUTIVE



KDT32C | Exec. Task Chair.


Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg

KDT33C | Exec. Task Chair.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	14.5 kg

KDT42C | Exec. Task Chair with Head Rest.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	17 kg



KDT43C | Exec. Task Chair with Head Rest.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	15 kg

KIND COLLECTION

BASE FINISH



Silver RAL 9006 (P)



Chrome (C)

OPTIONS

SEAT

Memory seat foam (ME)

Coccyx cut out (CO)

MECHANISM

Synchronised 2:1 ratio with body weight tension control

CASTORS & GLIDES

Glides

Soft wheel castors

Brake loaded or un-loaded castors

NOTES

Headrest adds an additional 180-250 mm to the height of the back and has a depth adjustment of 100 mm

ENVIRONMENTAL

Recycled Content: 30% (estimated)

Recyclable Content: 95%

Plastic components >25 g are labelled in accordance with ISO 11469