

www.planscape.co.uk

WAIT

MODULAR SEATING



WAIT: MODULAR SEATING

Wait provides exceptional comfort for reception areas, waiting rooms, breakout areas and informal cafeterias.

WAIT

MATERIALS

FRAME CONSTRUCTION

FSC® certified plywood

Furniture grade fibreboard.

FOAM

Combustion Modified High Resilience (CMHR) foam

FEET

Black polypropylene glides

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

Forest Stewardship Council® (FSC®)


OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

WAIT



WAIT-01 | Uph. Single Seat Unit.

Overall Height	750 mm
Overall Width	620 mm
Overall Depth	460 mm
Seat Height	420 mm
Seat Depth	460 mm
Weight	16 kg

WAIT-02 | Uph. 2 Seat Unit.

Overall Height	750 mm
Overall Width	1225 mm
Overall Depth	460 mm
Seat Height	420 mm
Seat Depth	460 mm
Weight	28 kg

WAIT-AR | Uph. Left or Right Arm.

Overall Height	- mm
Overall Width	90 mm
Overall Depth	570 mm
Seat Height	- mm
Seat Depth	- mm
Weight	7 kg

WAIT

OPTIONS

Two tone upholstery 10% upcharge (2T)
Proton, Pixel & Aircharge Power & Data Options available

NOTES

N/A

ENVIRONMENTAL

Recycled Content: 0% (estimated)
Recyclable Content: 98%