



Windsor features panel ended workstations, delivering a distinct and executive finish. The traditional appearance offers a clean, premium feel within the set environment. Windsor offers a vast number of configurations and footprints meeting the demands of a flexible workspace. These include single desks, managerial workstations, reception units and meeting and conference tables.

Windsor

Fixed Height Workstations

MFC:	Available in Ash, Autumn Cherry, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak, Slate Grey and White
Veneer:	Available in Oak and Walnut (<i>3 Week Lead Time</i>)
Edging:	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC only
Metalwork:	Add 0% for Silver



WR16

Windsor Rectangular Desk

- Standard lead times.
- 25mm top panel.

WR18 - 1800w x 800d x 740h

WR16 - 1600w x 800d x 740h

WR14 - 1400w x 800d x 740h

WR12 - 1200w x 800d x 740h

WR10 - 1000w x 800d x 740h



WRB16

Windsor Bow Fronted Rectangular Desk

- Standard lead times.
- 25mm top panel.

WRB18 - 1800w x 900d x 740h

WRB16 - 1600w x 900d x 740h



WC16RH

Windsor Crescent Workstation

- Standard lead times.
- 25mm top panel.
- 600mm return.

WC18... (LH or RH) - 1800w x 1200d x 740h

WC16... (LH or RH) - 1600w x 1200d x 740h

WC14... (LH or RH) - 1400w x 1200d x 740h



Windsor

Fixed Height Workstations, Returns and Extensions

MFC:	Available in Ash, Autumn Cherry, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak, Slate Grey and White
Veneer:	Available in Oak and Walnut (3 Week Lead Time)
Edging:	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC only
Metalwork:	Add 0% for Silver, Black Graphite and White



WCB18RH

Windsor Bow Fronted Crescent Workstation

- Standard lead times.
- 25mm top panel.
- 600mm return.

WCB18... (LH or RH) - 1800w x 1300d x 740h



WW16RH

Windsor Single Wave Desk

- Standard lead times.
- 25mm top panel.

WW18... (LH or RH) - 1800w x 1000-800d x 740h

WW16... (LH or RH) - 1600w x 1000-800d x 740h

WW14... (LH or RH) - 1400w x 1000-800d x 740h

WW12... (LH or RH) - 1200w x 1000-800d x 740h



WDW16/9

Windsor Double Wave Desk

- Standard lead times.
- 25mm top panel.

WDW18/10 - 900d Centre - 1800w x 1000d x 740h

WDW16/10 - 900d Centre - 1600w x 1000d x 740h

WDW18/9 - 800d Centre - 1800w x 900d x 740h

WDW16/9 - 800d Centre - 1600w x 900d x 740h



WSR10/6RH

Windsor Secretarial Return

- Standard lead times.
- 25mm top panel.
- Compatible with rectangular desks and crescent workstations only.

WSR10/6... (LH or RH) - 1000w x 600d x 740h



WSCMT16

Windsor Meeting Extension

- Standard lead times.
- 25mm top panel.
- Complete with 120mm diameter support leg on 300mm diameter base.

WSCMT16 - For 1600d Ends - 1600w x 800d x 740h

WSCMT12 - For 1200d Ends - 1200w x 600d x 740h

WSCMT8 - For 800d Ends - 800w x 600d x 740h

WDWSCMT18 - For 900d Double Wave Desks - 1800w x 800d x 740h



WDWSCMT

Windsor Meeting Extension

- Standard lead times.
- 25mm top panel.
- Complete with 2x 60mm diameter support legs.

WDWSCMT - For 1000d Double Wave Desks - 2000w x 800d x 740h

Windsor

Fixed Height Reception Workstations and Counter Tops

MFC:	Available in Ash, Autumn Cherry, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak, Slate Grey and White
Veneer:	Available in Oak and Walnut (<i>3 Week Lead Time</i>)
Edging:	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC only
Metalwork:	Add 0% for Silver, Black Graphite and White



WRU18RH

Windsor Bow Fronted Reception Workstation

- Standard lead times.
- 25mm top panel.
- 600mm return.
- Desktop is 745mm high.

WRU20... (LH or RH) - 2000w x 1350d x 1100h

WRU18... (LH or RH) - 1800w x 1350d x 1100h



RRRH

Windsor Radius Reception Desk with DDA Extension

- Standard lead times.
- 25mm top panel.
- Designed for wheelchair visitor access.
- Complete with kick plate (stainless steel only).
- Delivered assembled.
- Desktop is 745mm high.

RR... (LH or RH) - 2800w (extreme) x 800d x 745h



RR

Windsor Radius Reception Desk

- Standard lead times.
- 25mm top panel.
- Complete with kick plate (stainless steel only).
- Delivered assembled.
- Desktop is 745mm high.

RR - 1915w (extreme) x 800d x 745h



DCT

Windsor Curved Double Counter Top

- Standard lead times.
- 25mm top panel.
- Windsor curved double counter top does not sit flush either end of Windsor radius reception desks due to its fixings.

DCT - 1800w (extreme) x 240d x 380h



SCT

Windsor Curved Single Counter Top

- Standard lead times.
- 25mm top panel.
- Windsor curved single counter top can be positioned left, centre or right of the reception desk.

SCT - 980w x 240d x 380h

Windsor

Accessories and Featured Compatible Items

Metalwork: Add 0% for Silver, Black Graphite and White



Windsor Cable Tray

- Standard lead times.
- Cable trays are 100mm deep and 110mm high.
- For compatible desks, [see below](#).

OF11	-	1475w	
OF9	-	1275w	
OF7	-	1075w	
OF5	-	900w	
OF3	-	755w	
OF2	-	670w	

	Windsor Cable Tray										
	OF11 - 1475w	OF10 - 1385w	OF9 - 1275w	OF8 - 1185w	OF7 - 1075w	OF6 - 970w	OF5 - 900w	OF4 - 860w	OF3 - 755w	OF2 - 670w	OF1 - 500w
1800w Rectangular and Bow Fronted Rectangular (All depths)	•										
1600w Rectangular and Bow Fronted Rectangular (All depths)			•								
1400w Rectangular (All depths)					•						
1200w Rectangular (All depths)							•				
1000w Rectangular (All depths)										•	
1800w Crescent and Bow Fronted Crescent (LH and RH)	•								•		
1600w Crescent (LH and RH)			•						•		
1400w Crescent (LH and RH)					•				•		
1800w Single and Double Wave (All depths) (LH and RH)	•										
1600w Single and Double Wave (All depths) (LH and RH)			•								
1400w Single Wave (All depths) (LH and RH)					•						
1200w Single Wave (All depths) (LH and RH)							•				
Secretarial Return (LH and RH)										•	
2000w Bow Fronted Reception (LH and RH)	•									•	
1800w Bow Fronted Reception (LH and RH)			•							•	

Windsor Featured Compatible Items



CPU Holder

- Includes mounting kit.

CPU (Black) -
CPU/W (White) -

See [page 336](#) for details.



Maya Monitor Arm

- Clamp On and Bolt Through Desk Fixings.

MMA1/W (White) -
MMA1/B (Black) -

See [page 330](#) for details.



Maya Dual Monitor Arm

- Clamp On and Bolt Through Desk Fixings.

MMA2/W (White) -
MMA2/B (Black) -

See [page 330](#) for details.



Maya Laptop Stand

- Attaches onto Maya Monitor Arms.

MMA/LS/B (Black) -

See [page 330](#) for details.



Slinky Cable Riser

- Suitable for all desk ranges.

SCR/S (Silver) -
SCR/B (Black) -
SCR/W (White) -

See [page 336](#) for details.


Windsor

Compatibility Breakdown

Windsor Compatibility Breakdown

- Black - Compatible
- Orange - Non-standard position required
- Blue - Conflict when using screens without .../V

- Windsor - Rectangular, Crescent, Single and Double Wave
- Windsor - Bow Fronted Rectangular and Crescent
- Windsor - Radius Reception
- Windsor - Bow Fronted Reception
- Windsor - Radius Reception with Counter Tops
- Windsor - Secretarial Return
- Windsor - Meeting / Conference



Windsor

Conference Tables

MFC:	Available in Ash, Autumn Cherry, Chester Oak, English Walnut, Grey, Grey Nebraska Oak, Laurentii Wenge, Natural Nebraska Oak, Slate Grey and White
Nanotech:	Available in Black (2 Week Lead Time)
Veneer:	Available in Oak and Walnut (3 Week Lead Time)
Edging:	Add £ for Wenge and Black per top - Add £ for Plywood Effect per top - Edging on 25mm White MFC and Black Nanotech only
Additional:	Available with optional cutouts for power modules, suffix Cutout Size and Cutout Position (see below)



CONF2AL

Windsor Double 'D' Ended Conference Table

- Standard lead times. • 25mm top panel.
- Arrowhead leg configuration with modesty panel.

CONF2AL - 3400w x 1200d x 740h
2x 1700mm Sections - Seating up to 10 People

Cutout Size: For Kasper with 1x Socket (.../KAS1), Kasper with 2x Sockets (.../KAS2), Prime (.../PRI2), Boardroom with 2x Sockets (.../PPM2), Boardroom with 4x Sockets (.../PPM4), Conus with 2x Sockets (.../CON2), Conus with 4x Sockets (.../CON4), Peak with 6x Sockets (.../PEA6), Peak with 8x Sockets (.../PEA8), 80mm diameter (.../CO80)

Cutout Position: If purchasing an Elite Power Module with the Cutout, the Cutout will be free of charge
Add £ for 1x Cutout in the Centre of the Desktop (.../1CA)



DDT24

Windsor Double 'D' Ended Conference Table

- Standard lead times. • 25mm top panel.
- Arrowhead leg configuration with modesty panel.

DDT24 - 2400w x 1200d x 740h
1x 2400mm Section - Seating up to 8 People

Cutout Size: For Kasper with 1x Socket (.../KAS1), Kasper with 2x Sockets (.../KAS2), Prime (.../PRI2), Boardroom with 2x Sockets (.../PPM2), Boardroom with 4x Sockets (.../PPM4), Conus with 2x Sockets (.../CON2), Conus with 4x Sockets (.../CON4), Peak with 6x Sockets (.../PEA6), Peak with 8x Sockets (.../PEA8), 80mm diameter (.../CO80)

Cutout Position: If purchasing an Elite Power Module with the Cutout, the Cutout will be free of charge
Add £ for 1x Cutout in the Centre of the Desktop (.../1CA)



OVT24

Windsor Oval Conference Table

- Standard lead times. • 25mm top panel.
- Arrowhead leg configuration with modesty panel.

OVT24 - 2400w x 1200d x 740h
1x 2400mm Section - Seating up to 8 People

Cutout Size: For Kasper with 1x Socket (.../KAS1), Kasper with 2x Sockets (.../KAS2), Prime (.../PRI2), Boardroom with 2x Sockets (.../PPM2), Boardroom with 4x Sockets (.../PPM4), Conus with 2x Sockets (.../CON2), Conus with 4x Sockets (.../CON4), Peak with 6x Sockets (.../PEA6), Peak with 8x Sockets (.../PEA8), 80mm diameter (.../CO80)

Cutout Position: If purchasing an Elite Power Module with the Cutout, the Cutout will be free of charge
Add £ for 1x Cutout in the Centre of the Desktop (.../1CA)



BST24

Windsor Barrel Conference Table

- Standard lead times. • 25mm top panel.
- Arrowhead leg configuration with modesty panel.

BST24 - 2400w x 1200d x 740h
1x 2400mm Section - Seating up to 8 People

Cutout Size: For Kasper with 1x Socket (.../KAS1), Kasper with 2x Sockets (.../KAS2), Prime (.../PRI2), Boardroom with 2x Sockets (.../PPM2), Boardroom with 4x Sockets (.../PPM4), Conus with 2x Sockets (.../CON2), Conus with 4x Sockets (.../CON4), Peak with 6x Sockets (.../PEA6), Peak with 8x Sockets (.../PEA8), 80mm diameter (.../CO80)

Cutout Position: If purchasing an Elite Power Module with the Cutout, the Cutout will be free of charge
Add £ for 1x Cutout in the Centre of the Desktop (.../1CA)